



FACIMILE FORM

TO: IOD

FR: CLINIXBOOST

DATE: _____



PATIENT:

REPORT NO: _____

OUTCOME:

_____ **CHANGE IMPLEMENTED (new orders will be submitted)**

_____ **NO CHANGE (fill medication)**

Chemotherapy Order Sheet

Patient Name: [REDACTED]

D.O.B: [REDACTED]

DX: NHL C82.18

Treatment Start Date: now

Height: 6'2"

230m²

Weight: 228 lbs

age: 83

IV Hydration: _____

Premedication Regimen:

Ondansetron (Zofran)	<u>X</u> 12mg	___32mg	___IV	___PO
Famotidine (Pepcid)	___10mg	___20mg	___IV	___PO
Lorazepam (Ativan)	___0.5mg	___1mg	___IV	___PO
Diphenhydramine (Benadryl)	<u>X</u> 25mg	___50mg	___IV	___PO
Dexamethasone (Decadron)	<u>X</u> 10mg	___20mg	___IV	___PO
Acetaminophen (Tylenol)	<u>X</u> 650mg			___PO
Other:			___IV	___PO

Chemotherapy:

Medication	Dose (Per kg)	Dose (Per m ²)	Dose (Total)	Route	Infusion Rate
Rituxan		375mg/m ²	800mg	IV	① 4wk x 6 cycles
Bendamustine		75mg/m ²	150mg	IV	Day 1, 2
Venofor			200mg	IV	① 4wks x 6 cycles Qives Kly x 5

→ wrote it on a separate order.

Hold Chemotherapy if: WBC < 3000/cm³ or _____

PLT < 100,000/cm³ or _____

ANC < 1500/cm³ or _____

Creat > 1.5mg/dl or _____

Other Orders: _____

Time/Date

office

[REDACTED]

MEDICAL ONCOLOGY FOLLOW UP

RE: [REDACTED]
DOB [REDACTED]
REFERRING PHYSICIAN [REDACTED]

IDENTIFICATION [REDACTED] is an 83-year-old female with lymphoma.

SUBJECTIVE: The patient denies fever, chills, nausea or vomiting.

OBJECTIVE: Vital Signs: Blood pressure: 128/85. Pulse: 72.
Temperature: 99.3.

LABORATORY DATA: Labs on [REDACTED] LDH 108, creatinine 1.44,
white blood cell count 6.0, hemoglobin 9.6, platelets 224,000 and ferritin
4.

ASSESSMENT:

1. History of follicular lymphoma; prior treatments include RCVP progressed, was on Revlimid and Rituxan, progressed on _____ and Brukinsa and currently on Brukinsa with disease progression.
2. Iron deficiency anemia.

PLAN:

1. Labs reviewed consist of iron deficiency anemia.
2. PET/CT scan reviewed show progressive disease.
3. The patient to discontinue on Brukinsa.
4. The patient to start on intravenous iron with Venofer q. weekly x5.
5. The patient to start on systemic treatment with bendamustine and Rituxan q.4 week cycle.
6. Check labs now including CBC, CMP, hepatitis panel, ferritin, iron studies and q. weekly including CBC and CMP.
7. The patient has a pending appointment with GI.
8. The patient will return in one month for follow up visit.

[REDACTED]
Medical Oncology/Hematology
[REDACTED]